



# SAFETY DATA SHEET

# SECTION 1 IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

| Product Identifier          | LINSEED OIL WITH ANTI-MOULD READY TO USE   |
|-----------------------------|--|
| Other Names                 | Blended Linseed Oil                        |
| Manufacturer's Product Code | 16411                                      |
| Recommended Use             | Preservation of timber and timber products |
|                             |  |

# Details of Supplier/Manufacturer

| Company: | Recochem Inc. ABN: 69 010 485 999         |
|----------|---|
| Address: | 1809 Lytton Road, Lytton, Queensland 4178 |
| Phone:   | (07) 3308 5200 Fax: (07) 3308 5201        |
| Website: | www.recochem.com.au                       |

# Emergency Telephone Numbers

| Business Hours:         | (07) 3308 5200      |                           |
|-------------------------|---------------------|---------------------------|
| After Hours:            | 1300 131 001        |                           |
| Poisons<br>Information: | Australia: 13 11 26 | New Zealand: 0800 764 766 |

# SECTION 2 HAZARDS IDENTIFICATION

| Hazardous chemical  | according to classification by Safe Work Australia  |
|---------------------|---|
| Non-dangerous goods | according to the Australian Code for the Transport of<br>Dangerous Goods by Road and Rail |

| Signal Word                         | DANGER           |   |
|-------------------------------------|------------------|---|
| GHS Classification                  | Pictogram        | Hazard statement                                  |
| Flammable Liquids,<br>Category 4    | N/A              | H227 Combustible liquid                           |
| Aspiration Hazard,<br>Category 1    |                  | H304 May be fatal if swallowed and enters airways |
| Carcinogenicity,<br>Category 2      | HEALTH HAZARD    | H351 Suspected of causing cancer                  |
| Sensitisation – Skin,<br>Category 1 | EXCLAMATION MARK | H317 May cause an allergic skin reaction          |

Chronic Aquatic Toxicity, Category 2



H411 Toxic to aquatic life with long lasting effects

# **Precautionary statements:**

| GENERAL      |  |
|--------------|--|
| P101         | If medical advice is needed, have product container or label at hand     |
| P102         | Keep out of reach of children  |
| P103         | Read label before use  |
| PREVENTATIVE |  |
| P201         | Obtain special instructions before use                                   |
| P202         | Do not handle until all safety precautions have been read and understood |
| P210         | Keep away from heat/sparks/open flames/hot surfaces. – No smoking        |
| P272         | Contaminated work clothing should not be allowed out of the workplace    |
| P273         | Avoid release to the environment   |
| P280         | Wear protective gloves/eye protection/face protection                    |
| P281         | Use personal protective equipment as required                            |
| RESPONSE     |  |
| P301 + P310  | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician       |
| P302+352     | IF ON SKIN: Wash with plenty of soap and water                           |
| P308 + P313  | IF exposed or concerned: Get medical advice/attention                    |
| P331         | Do NOT induce vomiting   |
| P363         | Wash contaminated clothing before reuse                                  |
| P370 + P378  | In case of fire: Use foam/water spray/fog for extinction                 |
| P391         | Collect spillage   |
| STORAGE      |  |
| P403 + P235  | Store in a well-ventilated place. Keep cool                              |
| P405         | Store locked up  |
| DISPOSAL     |  |
| P501         | Dispose of contents/container in accordance with local regulations       |

# SECTION 3 COMPOSITION AND INFORMATION ON INGREDIENTS

# Ingredients Names and Proportions

| Chemical Entity                         | CAS Number | Proportion (%) |
|---|------------|----------------|
| Kerosine (petroleum), hydrodesulfurised | 64742-81-0 | 60 - 70        |
| Blown Linseed Oil                       | 8001-26-1  | 30 - 40        |
| 2-Octyl-2H-isothiazol-3-one             | 26530-20-1 | < 1            |
| With components:                        | :          | :              |
| Naphthalene                             | 91-20-3    | < 2            |
| Note – contains < 0.1% benzene          | ·          |                |

# SECTION 4 FIRST AID MEASURES

# Description of necessary first aid measures

| Inhalation: | Keep victim calm and remove to fresh air if safe to do so. If rapid recovery    |
|-------------|---|
|             | does not occur, transport to nearest medical facility for additional treatment. |
|             |   |

# Product: LINSEED OIL WITH ANTI-MOULD READY TO USE

| Skin Contact: | If skin contact occurs, remove contaminated clothing and wash skin thoroughly with water and follow by washing with soap if available.  |
|---------------|---|
| Eye Contact:  | If in eyes, hold eyes open, flood with water for at least 15 minutes. If symptoms persist, seek medical attention.  |
| Ingestion:    | If swallowed, do NOT induce vomiting. Transport to nearest medical facility for additional treatment. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. |

# Symptoms caused by exposure

| iptomo oddood by oxp |   |
|----------------------|---|
| Inhalation:          | May include a temporary burning sensation of the nose and throat, coughing,<br>and/or difficulty breathing.   |
| Skin:                | May include redness, itching and swelling, burning sensation, blisters.   |
| Eye:                 | May include redness, itching and tearing.   |
| Ingestion:           | May cause irritation to the mouth, throat, oesophagus and stomach with symptoms of nausea, abdominal discomfort, vomiting and diarrhoea, coughing, choking, wheezing, difficulty in breathing, chest congestion, shortness of breath, and/or fever. |

# Medical attention and special treatment

Treat symptomatically.

# SECTION 5 FIRE FIGHTING MEASURES

# Suitable extinguishing equipment

Foam, water spray or fog, dry chemical powder or carbon dioxide. Do not use water in a jet.

#### Specific hazards arising from the chemical

Will float and can be reignited on surface water. Vapour is heavier than air, can spread along ground and distant ignition is possible.

# Special protective equipment and precautions for fire fighters

Wear full protective clothing and self-contained breathing apparatus.

# SECTION 6 ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Avoid contact with spilled or released material. Shut off leaks, if possible without personal risks. Isolate hazard area and deny entry to unnecessary or unprotected personnel. Remove all sources of ignition in the surrounding area. Take precautionary measure against static discharge. Ensure electrical continuity by bonding and earthing all equipment.

#### Environmental precautions

Use appropriate containment to avoid environmental contamination. Prevent from spreading and entering waterway using sand, earth or other appropriate barriers. Attempt to disperse the vapour or to direct its flow to a safe location for example by using fog sprays. Ventilate contaminated area thoroughly.

#### Methods and materials for containment and cleaning up

For small spills (< 1 drum), transfer by mechanical means to a labelled, sealable container for product recovery or safe disposal. Allow any residues to evaporate or use an appropriate absorbent material and dispose of safely.

For larger spills (> 1 drum), transfer by means such as a vacuum truck to a salvage tank for recovery or disposal. Do not flush residues with water. Retain as contaminated waste. Allow any residues to evaporate or use an appropriate absorbent material and dispose of safely.

# SECTION 7 HANDLING AND STORAGE

#### Precautions for safe handling

Combustible product. Avoid breathing vapours. Handle and open containers with care in a well-ventilated area. Ensure that the workplace is ventilated such that the Occupational Exposure limit is not exceeded.

# Product: LINSEED OIL WITH ANTI-MOULD READY TO USE

Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not eat, drink or smoke in contaminated areas. Electrostatic charges may be generated during transfer. Electrostatic discharge may cause fire. Ensure electrical continuity by earthing all equipment. Flameproof equipment necessary in area where chemical is being used. Vapours may accumulate in low or confined areas.

# Conditions for safe storage, including any incompatibilities

Store in a well-ventilated area and not near strong oxidants.

#### SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### **Exposure control measures**

In the absence of data from National Occupational Health & Safety Commission (NOHSC) Worksafe Australia use -Mineral Spirits 175-220 HSPA: 350mg/m<sup>3</sup> TWA (8hr)

**Biological monitoring** 

No biological limit allocated.

#### **Engineering controls**

Ensure that adequate ventilation is provided. Maintain air concentrations below recommended exposure standards. Avoid generating and inhaling mists and vapours. Keep containers closed when not in use.

#### Individual protection measures

| Eye and face protection: | Wear safety goggles.   |
|--------------------------|--|
| Skin protection:         | Use solvent resistant gloves, nitrile for longer term protection or PVC and<br>neoprene for incidental splashes.   |
| Respiratory protection:  | If work practices do not maintain airborne level below the exposure<br>standard, use appropriate respiratory protection equipment. When using<br>respirators, select an appropriate combination of mask and filter. Select a<br>filter for organic gases and vapours (boiling point > 65°C). Respirators<br>should comply with AS1716 or an equivalent approved by a state/territory<br>authority. |
| Thermal hazards:         | Not applicable.  |

#### SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

| Appearance:                                       | Pale golden liquid         |
|---|----------------------------|
| Odour:  | Paraffinic/ Characteristic |
| Odour threshold (ppm):                            | Data not available         |
| pH:   | Data not available         |
| Melting point/freezing point (°C):                | Data not available         |
| Initial boiling point and boiling range (°C):     | Typical 195 - 260          |
| Flash point (°C):                                 | Typical 75                 |
| Evaporation rate (Butyl acetate = 1):             | 0.01                       |
| Flammability:                                     | Combustible                |
| Upper/lower flammability or explosive limits (%): | 0.6 - 7.0                  |
| Vapour pressure (kPa @ 20°C):                     | Data not available         |
| Vapour density (air = 1 @ 15°C):                  | > 1                        |
| Density (g/ml @ 15°C):                            | 0.85                       |
| Solubility (kg/m³):                               | Negligible                 |

# Product: LINSEED OIL WITH ANTI-MOULD READY TO USE

| Partition coefficient: n-octanol/water:          | Data not available |
|--|--------------------|
| Auto-ignition temperature (°C):                  | > 200              |
| Decomposition temperature (°C):                  | Data not available |
| Kinematic viscosity (mm <sup>2</sup> /s @ 25°C): | Data not available |

# SECTION 10 STABILITY AND REACTIVITY

#### Reactivity

Stable under normal conditions of use.

#### **Chemical stability**

Stable under normal conditions of use.

#### Possibility of hazardous reactions

Soak any soiled rags in water to avoid spontaneous combustion.

#### **Conditions to avoid**

Avoid heat, sparks, open flames and other ignition sources.

#### Incompatible materials

Strong oxidising agents.

# Hazardous decomposition products

Thermal decomposition is highly dependent on conditions. A complex mixture of airborne solids, liquids, gases, including carbon monoxide, carbon dioxide and other organic compounds will be evolved when this material undergoes combustion or thermal or oxidative degradation.

|        | Acute toxicity:   | Expected to be of low toxicity -<br>LD50 Oral (rat) > 2000 mg/kg<br>LD50 Dermal (rat) > 2000 mg/kg  |  |
|--------|---|---|--|
| Skin c | orrosion/irritation:  | Mild irritant. Prolonged contact may cause defatting of skin which can lead to dermatitis.  |  |
|        | Serious eye<br>damage/irritation:                           | Mild irritant.  |  |
| R      | Respiratory or skin sensitisation:                          | May cause an allergic reaction / skin sensitisation.  |  |
| Germ   | cell mutagenicity:  | Not expected to be mutagenic.   |  |
|        | Carcinogenicity:  | Naphthalene - Classified by the International Agency for Research on Cancer (IARC) as a Group 2B. Group 2B – The agent is possibly carcinogenic to humans.          |  |
| Rep    | productive toxicity:  | Not expected to impair fertility.   |  |
|        | cific Target Organ<br>Toxicity (STOT) –<br>single exposure: | Inhalation of vapours or mists may cause irritation to the respiratory system.  |  |
|        | cific Target Organ<br>Toxicity (STOT) –<br>peated exposure: | Central nervous system: prolonged inhalation may cause central nervous<br>system depression with symptoms including dizziness, drowsiness,<br>nausea and headaches. |  |
|        | Aspiration hazard:  | Aspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which can be fatal.  |  |

#### SECTION 11 TOXICOLOGICAL INFORMATION

# SECTION 12 ECOLOGICAL INFORMATION

#### Ecotoxicity

Acute toxicity:

| Fish –                 | Harmful: 10 < LC/EC/IC50 <= 100mg/I                |
|------------------------|--|
| Aquatic invertebrate – | Low toxicity: LC/EC/IC50 > 100mg/l                 |
| Algae –                | Harmful: 10 < LC/EC/IC50 <= 100mg/I                |
| Microorganisms –       | Expected to be harmful: 10 < LC/EC/IC50 <= 100mg/l |

Chronic toxicity:

| Fish –                 | Data not available |
|------------------------|--------------------|
| Aquatic invertebrate – | Data not available |
| Algae –                | Data not available |
| Microorganisms –       | Data not available |

#### Persistence and degradability

Readily biodegradable. Oxidises by photo-chemical reactions in air.

#### **Bioaccumulative potential**

Has the potential to bioaccumulate.

#### Mobility in soil

Floats on water. Adsorbs to soil and has low mobility.

# Other adverse effects

Data not available.

# SECTION 13 DISPOSAL CONSIDERATIONS

Ensure waste disposal conforms to local waste disposal regulations.

## SECTION 14 TRANSPORT INFORMATION

| UN number:                                | Not applicable |
|---|----------------|
| Proper shipping name:                     | Not applicable |
| Australian Dangerous Goods class:         | Not applicable |
| Australian Dangerous Goods packing group: | Not applicable |
| Hazchem code:                             | Not applicable |

#### SECTION 15 REGULATORY INFORMATION

| Standard for the Uniform Scheduling of Medicines<br>and Poisons (SUSMP), Poisons Schedule: | 5              |
|--|----------------|
| Australian Inventory of Chemical Substances (AICS):  | Listed         |
| Dangerous Goods Initial Emergency Response<br>Guide (SAA/SNZ HB76):                        | Not applicable |

# SECTION 16 OTHER INFORMATION

| Date of preparation:      | 17/02/2020                     |
|---------------------------|--------------------------------|
| Revision number:          | 5                              |
| Changes in this revision: | Reviewed and updated at expiry |

This SDS summarises product safety information at the date of issue, to the best of our knowledge, as a general guide. Recochem cannot anticipate or control the conditions under which the product is used, so prior to usage each user must assess and control the risks associated with their use of the product. Users should also consult the relevant legislation governing the use and storage of this product. We make no warranties, express or implied, and assume no liability in connection with any use of information contained within this document. If clarification or further information is needed, the user should contact Recochem on (07) 3308 5200.